



# THE BIN TRAILER


## 2026 DOUBLE HOT COMMERCIAL HOT WATER TRAILER

The Ultimate Mobile Solution for Industrial Bin Cleaning




# ENGINEERED FOR HIGH-VOLUME OPERATIONS

Designed specifically for the rigors of the cleaning industry, combining heavy-duty American engineering with maintenance-minimized systems.




## COMMERCIAL GRADE

Rated for repeated daily operation in residential and commercial routes.



## TANDEM AXLE DESIGN

Built on a 7,000 lbs capacity foundation for stability.



## DUAL-TEMP SYSTEM

Integrated Industrial Hot & Cold Water capability.



# UNCOMPROMISING POWER DELIVERY

Mounted on a heavy-duty commercial frame assembly, ensuring consistent power delivery for the toughest grime.

Stat Blocks

**1** **HONDA  
GX390**  
Engine Standard

Stat Blocks

**2** **4,000  
PSI**  
Maximum Pressure

- General Triplex Pump
- 4 GPM Flow Rate
- Industry Standard Reliability




Illustration images

# THERMAL SUPERIORITY

## 200°F+ CAPABILITY

- Beckett Diesel Burner System
- 12V Electric Ignition
- Integrated Hot & Cold Water

Reaching temperatures over 200°F is critical for emulsifying grease, sanitizing bins, and removing stubborn residue that cold water cannot touch. Powered by a dedicated 12V burner supply.





# THE 360° CLEANING CYCLE

Precision 360° triple-nozzle high-speed rotating heads.

Enclosed wash chamber prevents splash-back.

Integrated industrial soft wash capability.



# SINGLE-OPERATOR WORKFLOW

## Manual Trash Bin Lift System

Designed for speed and simplicity. By utilizing a mechanical system rather than complex hydraulics, the design minimizes maintenance downtime while allowing for rapid loading and unloading.

**Optimized for high-volume residential routes.**

# CAPACITY FOR THE LONG HAUL



275 Gallons (Standard) / 330 Gallons (Upgrade)



200 Gallons

## WATER MANAGEMENT



2-inch discharge drain



Inlet float valve protection



Inline water filter system

# ENVIRONMENTAL COMPLIANCE & RECOVERY



- ✓ **EPA-Compliant Wastewater Recovery System.**
- ✓ **Robust Aluminum Recovery Tank.**
- ✓ Essential for operating legally in municipal zones, capturing dirty runoff to prevent storm drain contamination.

# BUILT FOR THE ROAD

Reinforced Heavy-Duty  
Steel Tube Frame



Marine-Grade Reinforced  
Aluminum Panels

Tandem Axle Design  
(7,000 lbs Total Capacity)

Electric Brakes on  
Both Axles



# TOWING & MOBILITY SPECIFICATIONS



## DIMENSIONS

Approx. 11 ft (L) x 6 ft (W)



## MIN. TOW RATING

6,000 lbs



## SAFETY

Full D.O.T. Compliant  
Lighting & Axles



## BRAKES

Electric Brakes Standard

# YOUR MOBILE BRAND



The large, flat reinforced aluminum panels are designed as a blank canvas for high-impact vehicle wraps. Perfect for high-volume residential and commercial bin cleaning routes.

# TECHNICAL SPECIFICATIONS SUMMARY

<b>POWER</b>	Honda GX390 Engine   General Triplex Pump   4 GPM   Up to 4,000 PSI
<b>HEAT</b>	Beckett Diesel Burner, 200°F+, 12V Ignition
<b>CAPACITY</b>	275/330 Gal Fresh, 200 Gal Waste
<b>STRUCTURE</b>	Tandem Axle, Electric Brakes, Steel Frame, 11x6 ft
<b>CLEANING</b>	360° Rotating Heads, Enclosed Chamber
<b>ELECTRICAL</b>	12V System with Protective Battery Box



**READY TO LAUNCH YOUR ROUTE?**

**[thebintrailer.com](https://thebintrailer.com)**

**[info@thebintrailer.com](mailto:info@thebintrailer.com)**

2026 Model Available Now. Engineered in the USA.